









# 电磁阀 CPE, 紧凑型

产品范围一览 - 功能









FESTO

两位三通阀					
					
型号		CPE10	CPE14	CPE18	CPE24
阀宽		10 mm	14 mm	18 mm	24 mm
标准额定流量 [l/min]					
螺纹	M5	190	-	-	-
	M7	400	-	-	-
	G $\frac{1}{8}$	-	900	-	-
	G $\frac{1}{4}$	-	-	1,300	-
	G $\frac{3}{8}$	-	-	-	2,500
插头	QS-4	190	-	-	-
	QS-6	300	510	-	-
	QS-8	-	810	850	-
	QS-10	-	-	1,000	1,250
	QS-12	-	-	-	1,650
两位五通单电控电磁阀					
					
型号		CPE10	CPE14	CPE18	CPE24
阀宽		10 mm	14 mm	18 mm	24 mm
标准额定流量 [l/min]					
螺纹	M5	180	-	-	-
	M7	350	-	-	-
	G $\frac{1}{8}$	-	800	-	-
	G $\frac{1}{4}$	-	-	1,300	-
	G $\frac{3}{8}$	-	-	-	2,900
插头	QS-4	180	-	-	-
	QS-6	320	400	-	-
	QS-8	-	680	850	-
	QS-10	-	-	1,000	1,250
	QS-12	-	-	-	1,650
工作电压					
12 V DC		-	-	■	-
24 V DC/AC		■/-	■/-	■/■	■/-
110 V AC		-	-	■	■
230 V AC		-	-	■	■
技术参数→		18	31	45	64

# 电磁阀 CPE, 紧凑型

产品范围一览 - 功能

FESTO


两位五通双电控电磁阀					
					
型号		CPE10	CPE14	CPE18	CPE24
阀宽		10 mm	14 mm	18 mm	24 mm
<b>标准额定流量 [l/min]</b>					
螺纹	M5	180	-	-	-
	M7	350	-	-	-
	G $\frac{1}{8}$	-	800	-	-
	G $\frac{1}{4}$	-	-	1,300	-
	G $\frac{3}{8}$	-	-	-	3,200
插头	QS-4	180	-	-	-
	QS-6	320	400	-	-
	QS-8	-	680	850	-
	QS-10	-	-	1,000	1,250
	QS-12	-	-	-	1,650
<b>三位五通阀</b>					
					
型号		CPE10	CPE14	CPE18	CPE24
阀宽		10 mm	14 mm	18 mm	24 mm
<b>标准额定流量 [l/min]</b>					
螺纹	M5	180	-	-	-
	M7	250 ... 350	-	-	-
	G $\frac{1}{8}$	-	700 ... 750	-	-
	G $\frac{1}{4}$	-	-	1,200 ... 1,450	-
	G $\frac{3}{8}$	-	-	-	2,600 ... 3,000
插头	QS-4	180	-	-	-
	QS-6	250 ... 300	370 ... 410	-	-
	QS-8	-	570 ... 720	780 ... 850	-
	QS-10	-	-	1,000 ... 1,050	1,250
	QS-12	-	-	-	1,600 ... 1,650
<b>工作电压</b>					
12 V DC		-	-	■	-
24 V DC/AC		■/-	■/-	■/■	■/-
110 V AC		-	-	■	■
230 V AC		-	-	■	■
技术参数 →		18	31	45	64

# 电磁阀 CPE, 紧凑型

外围元件一览


FESTO

## 单个阀



附件 - 单个阀							
	型号	简述	CPE10	CPE14	CPE18	CPE24	→ 页码/Internet
1	手控工具	AHB...	-	■	■	■	74
2	消声器	U... or UC...	用于气口 3, 5, 82 或 84	■	■	■	74
3	标签	IBS-6x10	-	■	■	■	74
4	快插接头	QS...	用于气管	■	■	■	-
5	M7 转 M5 变径接头	-	包括在供货范围内	■	-	-	-
6	发光密封垫	MEB...LD	-	-	■	■	73
7	带电缆插座	KMEB...	用于 0 ... 230 V AC	-	-	■	73
8	带电缆插座	KMEB...	带 LED, 用于 24 V DC	-	-	■	73
9	标准插座	MSSD EB...	-	-	■	■	73
10	带电缆插座	KMYZ-9...	带 LED, 用于 24 V DC	■	■	-	72

## 固定阀宽气路板装配



### 气路板装配示例 - CPE18

	型号	简述	→ 页码/Internet
1	CPE18-3/2-PRS-3/8-8	气路板模块, 用于两位三通阀	59
2	CPE18-PRS-3/8-10	气路板模块, 用于两位五通和三位五通阀	57
3	CPV18-VI-P.1/4-150	-	57
4	CPE18-RP3	堵头, 用于空位	59
5	CPE18-RP	堵头, 用于空位	57
6	CPE18...	-	49
7	CPE18...	-	50
8	CPE18...	-	51
9	CPE18-H3-50	支架, 用于两位三通阀	59
10	CPE18-H5-50	支架, 用于两位五通和三位五通阀	57
11	M4X65-8.8-VS-100	-	57