



订货数据						
	代码	压力调节, 用于气口	调节范围 [bar]	阀宽	订货号	型号
减压阀板, 阀宽 18 mm						
	ZA	1	0.5...10	18 mm	540153	VABF-S4-2-R1C2-C-10
	ZF	1	0.5...6	18 mm	540151	VABF-S4-2-R1C2-C-6
	ZC	2	2...10	18 mm	540161	VABF-S4-2-R2C2-C-10
	ZH	2	2...6	18 mm	540159	VABF-S4-2-R2C2-C-6
	ZB	4	2...10	18 mm	540157	VABF-S4-2-R3C2-C-10
	ZG	4	2...6	18 mm	540155	VABF-S4-2-R3C2-C-6
	ZD	2 和 4	2...10	18 mm	540165	VABF-S4-2-R4C2-C-10
	ZI	2 和 4	2...6	18 mm	540163	VABF-S4-2-R4C2-C-6
	ZE	2 和 4, 可逆	0.5...10	18 mm	540169	VABF-S4-2-R5C2-C-10
	ZJ	2 和 4, 可逆	0.5...6	18 mm	540167	VABF-S4-2-R5C2-C-6
	ZL	2, 可逆	0.5...10	18 mm	546252	VABF-S4-2-R6C2-C-10
	ZN	2, 可逆	0.5...6	18 mm	546248	VABF-S4-2-R6C2-C-6
	ZK	4, 可逆	0.5...10	18 mm	546254	VABF-S4-2-R7C2-C-10
	ZM	4, 可逆	0.5...6	18 mm	546250	VABF-S4-2-R7C2-C-6
减压阀板, 阀宽 26 mm						
	ZA	1	0.5...10	26 mm	540154	VABF-S4-1-R1C2-C-10
	ZF	1	0.5...6	26 mm	540152	VABF-S4-1-R1C2-C-6
	ZC	2	2...10	26 mm	540162	VABF-S4-1-R2C2-C-10
	ZH	2	2...6	26 mm	540160	VABF-S4-1-R2C2-C-6
	ZB	4	2...10	26 mm	540158	VABF-S4-1-R3C2-C-10
	ZG	4	2...6	26 mm	540156	VABF-S4-1-R3C2-C-6
	ZD	2 和 4	2...10	26 mm	540166	VABF-S4-1-R4C2-C-10
	ZI	2 和 4	2...6	26 mm	540164	VABF-S4-1-R4C2-C-6
	ZE	2 和 4, 可逆	0.5...10	26 mm	540170	VABF-S4-1-R5C2-C-10
	ZJ	2 和 4, 可逆	0.5...6	26 mm	540168	VABF-S4-1-R5C2-C-6
	ZL	2, 可逆	0.5...10	26 mm	546251	VABF-S4-1-R6C2-C-10
	ZN	2, 可逆	0.5...6	26 mm	546247	VABF-S4-1-R6C2-C-6
	ZK	4, 可逆	0.5...10	26 mm	546253	VABF-S4-1-R7C2-C-10
	ZM	4, 可逆	0.5...6	26 mm	546249	VABF-S4-1-R7C2-C-6

阀岛 VTSA/VTSA-F

附件 - 气动元件




FESTO

订货数据						
	代码	压力调节, 用于气口	调节范围 [bar]	阀宽	订货号	型号
减压阀板, 阀宽 42 mm						
	ZA	1	0.5...10	42 mm	546084	VABF-S2-1-R1C2-C-10
	ZF	1	0.5...6	42 mm	546083	VABF-S2-1-R1C2-C-6
	ZC	2	1.0...10	42 mm	546088	VABF-S2-1-R2C2-C-10
	ZH	2	1.0...6	42 mm	546087	VABF-S2-1-R2C2-C-6
	ZB	4	1.0...10	42 mm	546086	VABF-S2-1-R3C2-C-10
	ZG	4	0.5...6	42 mm	546085	VABF-S2-1-R3C2-C-6
	ZD	2 和 4	1.0...10	42 mm	546090	VABF-S2-1-R4C2-C-10
	ZI	2 和 4	1.0...6	42 mm	546089	VABF-S2-1-R4C2-C-6
	ZE	2 和 4, 可逆	0.5...10	42 mm	546092	VABF-S2-1-R5C2-C-10
	ZJ	2 和 4, 可逆	0.5...6	42 mm	546091	VABF-S2-1-R5C2-C-6
	ZL	2, 可逆	0.5...10	42 mm	546832	VABF-S2-1-R6C2-C-10
	ZN	2, 可逆	0.5...6	42 mm	546831	VABF-S2-1-R6C2-C-6
	ZK	4, 可逆	0.5...10	42 mm	546834	VABF-S2-1-R7C2-C-10
	ZM	4, 可逆	0.5...6	42 mm	546833	VABF-S2-1-R7C2-C-6
减压阀板, 阀宽 52 mm						
	ZA	1	0.5...10	52 mm	555772	VABF-S2-2-R1C2-C-10
	ZF	1	0.5...6	52 mm	555771	VABF-S2-2-R1C2-C-6
	ZC	2	1.0...10	52 mm	555774	VABF-S2-2-R2C2-C-10
	ZH	2	1.0...6	52 mm	555773	VABF-S2-2-R2C2-C-6
	ZB	4	1.0...10	52 mm	555776	VABF-S2-2-R3C2-C-10
	ZG	4	1.0...6	52 mm	555775	VABF-S2-2-R3C2-C-6
	ZD	2 和 4	1.0...10	52 mm	555778	VABF-S2-2-R4C2-C-10
	ZI	2 和 4	1.0...6	52 mm	555777	VABF-S2-2-R4C2-C-6
	ZE	2 和 4, 可逆	0.5...10	52 mm	555780	VABF-S2-2-R5C2-C-10
	ZJ	2 和 4, 可逆	0.5...6	52 mm	555779	VABF-S2-2-R5C2-C-6
	ZL	2, 可逆	0.5...10	52 mm	555782	VABF-S2-2-R6C2-C-10
	ZN	2, 可逆	0.5...6	52 mm	555781	VABF-S2-2-R6C2-C-6
	ZK	4, 可逆	0.5...10	52 mm	555784	VABF-S2-2-R7C2-C-10
	ZM	4, 可逆	0.5...6	52 mm	555783	VABF-S2-2-R7C2-C-6

阀岛 VTSA/VTSA-F

附件 - 气动元件

FESTO

订货数据						
	代码	压力调节, 用于气口	调节范围 [bar]	阀宽	订货号	型号
减压阀板, 用于线圈对称布局的阀, 阀宽 18 mm						
	ZAY	1	0.5...10	18 mm	560756	VABF-S4-2-R1C2-C-10E
	ZFY	1	0.5...6	18 mm	560758	VABF-S4-2-R1C2-C-6E
	ZCY	2	2...10	18 mm	560763	VABF-S4-2-R2C2-C-10E
	ZHY	2	2...6	18 mm	560765	VABF-S4-2-R2C2-C-6E
	ZDY	2 和 4	2...10	18 mm	560767	VABF-S4-2-R4C2-C-10E
	ZIY	2 和 4	2...6	18 mm	560769	VABF-S4-2-R4C2-C-6E
	ZEY	2 和 4, 可逆	0.5...10	18 mm	560771	VABF-S4-2-R5C2-C-10E
	ZJY	2 和 4, 可逆	0.5...6	18 mm	560773	VABF-S4-2-R5C2-C-6E
	ZLY	2, 可逆	0.5...10	18 mm	560775	VABF-S4-2-R6C2-C-10E
	ZNY	2, 可逆	0.5...6	18 mm	560777	VABF-S4-2-R6C2-C-6E
减压阀板, 用于线圈对称布局的阀, 阀宽 26 mm						
	ZAY	1	0.5...10	26 mm	560757	VABF-S4-1-R1C2-C-10E
	ZFY	1	0.5...6	26 mm	549876	VABF-S4-1-R1C2-C-6E
	ZCY	2	2...10	26 mm	560764	VABF-S4-1-R2C2-C-10E
	ZHY	2	2...6	26 mm	560766	VABF-S4-1-R2C2-C-6E
	ZDY	2 和 4	2...10	26 mm	560768	VABF-S4-1-R4C2-C-10E
	ZIY	2 和 4	2...6	26 mm	560770	VABF-S4-1-R4C2-C-6E
	ZEY	2 和 4, 可逆	0.5...10	26 mm	560772	VABF-S4-1-R5C2-C-10E
	ZJY	2 和 4, 可逆	0.5...6	26 mm	560774	VABF-S4-1-R5C2-C-6E
	ZLY	2, 可逆	0.5...10	26 mm	560776	VABF-S4-1-R6C2-C-10E
	ZNY	2, 可逆	0.5...6	26 mm	560778	VABF-S4-1-R6C2-C-6E
减压阀板, 用于线圈对称布局的阀, 阀宽 42 mm ¹⁾						
	ZAY	1	0.5...10	42 mm	-	VABF-S2-1-R1C2-C-10E
	ZFY	1	0.5...6	42 mm	-	VABF-S2-1-R1C2-C-6E
	ZCY	2	0.5...10	42 mm	-	VABF-S2-1-R2C2-C-10E
	ZHY	2	0.5...6	42 mm	-	VABF-S2-1-R2C2-C-6E
	ZBY	4	0.5...10	42 mm	-	VABF-S2-1-R3C2-C-10E
	ZGY	4	0.5...6	42 mm	-	VABF-S2-1-R3C2-C-6E
	ZDY	2 和 4	0.5...10	42 mm	-	VABF-S2-1-R4C2-C-10E
	ZIY	2 和 4	0.5...6	42 mm	-	VABF-S2-1-R4C2-C-6E
	ZEY	2 和 4, 可逆	0.5...10	42 mm	-	VABF-S2-1-R5C2-C-10E
	ZJY	2 和 4, 可逆	0.5...6	42 mm	-	VABF-S2-1-R5C2-C-6E
	ZLY	2, 可逆	0.5...10	42 mm	-	VABF-S2-1-R6C2-C-10E
	ZNY	2, 可逆	0.5...6	42 mm	-	VABF-S2-1-R6C2-C-6E
	ZKY	4, 可逆	0.5...10	42 mm	-	VABF-S2-1-R7C2-C-10E
	ZMY	4, 可逆	0.5...6	42 mm	-	VABF-S2-1-R7C2-C-6E

1) 这些功能通过减压阀配置器配置 VABF-S2 仅用于阀宽 42 mm 和 52 mm (ISO 5599-2, ISO 1 和 ISO 2)。


阀岛 VTSA/VTSA-F

附件 - 气动元件

FESTO

订货数据					
	代码	压力调节, 用于气口	调节范围 [bar]	阀宽	订货号 型号
减压阀板, 用于线圈对称布局的阀, 阀宽 52 mm ¹⁾					
	ZAY	1	0.5...10	52 mm	- VABF-S2-2-R1C2-C-10E
	ZFY	1	0.5...6	52 mm	- VABF-S2-2-R1C2-C-6E
	ZCY	2	0.5...10	52 mm	- VABF-S2-2-R2C2-C-10E
	ZHY	2	0.5...6	52 mm	- VABF-S2-2-R2C2-C-6E
	ZBY	4	0.5...10	52 mm	- VABF-S2-2-R3C2-C-10E
	ZGY	4	0.5...6	52 mm	- VABF-S2-2-R3C2-C-6E
	ZDY	2 和 4	0.5...10	52 mm	- VABF-S2-2-R4C2-C-10E
	ZIY	2 和 4	0.5...6	52 mm	- VABF-S2-2-R4C2-C-6E
	ZEY	2 和 4, 可逆	0.5...10	52 mm	- VABF-S2-2-R5C2-C-10E
	ZJY	2 和 4, 可逆	0.5...6	52 mm	- VABF-S2-2-R5C2-C-6E
	ZLY	2, 可逆	0.5...10	52 mm	- VABF-S2-2-R6C2-C-10E
	ZNY	2, 可逆	0.5...6	52 mm	- VABF-S2-2-R6C2-C-6E
	ZKY	4, 可逆	0.5...10	52 mm	- VABF-S2-2-R7C2-C-10E
	ZMY	4, 可逆	0.5...6	52 mm	- VABF-S2-2-R7C2-C-6E

1) 这些功能通过减压阀配置器配置 VABF-S2 仅用于阀宽 42 mm 和 52 mm (ISO 5599-2, ISO 1 和 ISO 2)。

订货数据					
	代码	说明	阀宽	订货号	型号
压力表					
	T	带插装接头, 用于减压阀, 10 bar, 量程 bar/psi, 显示范围 0...16 bar/0...240 psi, 适用于减压阀板代码 ZA, ZB, ZC, ZD, ZE, ZK, ZL	18 mm	543487	PAGN-26-16-P10
			26 mm		
			42 mm	548010	PAGN-40-16-P10
			52 mm		
	U	带插装接头, 用于减压阀, 6 bar, 量程 bar/psi, 显示范围 0...10 bar/0...145 psi, 适用于减压阀板代码 ZF, ZG, ZH, ZI, ZJ, ZM, ZN	18 mm	543488	PAGN-26-10-P10
			26 mm		
			42 mm	548009	PAGN-40-10-P10
			52 mm		
	WT	带插装接头, 用于减压阀, 10 bar, 量程 MPa, 显示范围 0...16 bar/0...1.6 MPa, 适用于减压阀板代码 ZA, ZB, ZC, ZD, ZE, ZK, ZL	18 mm	563735	PAGN-26-1.6M-P10
			26 mm		
			42 mm	563737	PAGN-40-1.6M-P10
			52 mm		
	WU	带插装接头, 用于减压阀, 6 bar, 量程 MPa, 显示范围 0...16 bar/0...1 MPa, 适用于减压阀板代码 ZF, ZG, ZH, ZI, ZJ, ZM, ZN	18 mm	563736	PAGN-26-1M-P10
			26 mm		
			42 mm	563738	PAGN-40-1M-P10
			52 mm		
	VT	带插装接头, 用于减压阀, 10 bar, 量程 psi/bar, 显示范围 0...16 bar/0...232 psi, 适用于减压阀板代码 ZA, ZB, ZC, ZD, ZE, ZK, ZL	18 mm	563731	PAGN-26-232P-P10
			26 mm		
42 mm			563733	PAGN-40-232P-P10	
52 mm					
PS	带插装接头, 用于减压阀, 6 bar, 量程 psi/bar, 显示范围 0...10 bar/0...145 psi, 适用于减压阀板代码 ZF, ZG, ZH, ZI, ZJ, ZM, ZN	18 mm	563732	PAGN-26-145P-P10	
		26 mm			
		42 mm	563734	PAGN-40-145P-P10	
		52 mm			